

	Hits	Search Text	DBs
1	4	028276.ap.	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
2	2	6335716.pn.	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
3	2402	"SEMICONDUCTOR ENERGY LABORATORY".as.	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
4	5199	(YAMAZAKI-SHUNPEI or KOYAMA-JUN).in.	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB

	Hits	Search Text	DBs
5	8091	345/87,92,98,530,536;257/10,59,316.ccls.	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
6	27170 48	electronic or electrical	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
7	14551 3	nonvolatile or "non volatile"	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
8	73734	(nonvolatile or "non volatile") near memory	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB

	Hits	Search Text	DBs
9	32199	memory adj element	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
10	3035	(first or 1st or second or 2nd) near ("thin film transistor" or TFT)	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
11	25930	float\$3 near gate	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
12	25930	float\$3 near gate	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB

	Hits	Search Text	DBs
13	26014	(source and drain and gate) near electrode	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
14	16196 3	source same drain same gate	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
15	11234 8	"same material"	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
16	1135	semiconductor near display	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB

	Hits	Search Text	DBs
17	21998 4	pixel	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
18	4954	pixel near ("thin film transistor" or TFT)	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
19	3281	(source and drain and channel and impurity) near region	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
20	14002	source same drain same channel same impurity	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB

	Hits	Search Text	DBs
21	3034	"low concentration impurity"	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
22	36751	"channel region"	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
23	40020	"p-channel" and "n-channel"	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
24	844	FAMOS	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB

	Hits	Search Text	DBs
25	21288 78	switch\$3	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
26	15817 73	project\$3	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
27	13670	(video and (still or image)) near camera	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
28	44027 9	camera	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB

	Hits	Search Text	DBs
29	41864	head adj mount\$3	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
30	29223	(car or vehicle or automoto\$4) same navigat\$3	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
31	12858 09	computer or PC	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB
32	6997	"portable information terminal"	USPA T; US-PG PUB; EPO; JPO; DERW ENT; IBM_T DB